Author index

Abang, M.M., Winter, S., Green, K.R., Hoffmann, P., Mignouna, H.D. & Wolf, G.A. Molecular identification of *Colletotrichum gloeosporioides* causing yam anthracnose in Nigeria, 63

Abe, K., Fujikawa, E., Takeuchi, Y., Takada, Y. & Yamaoka, N. The possibility of factors other than phytoalexin accumulation in preventing fungal growth in the incompatible interactions of soybean with *Phytophthora megasperma* f. sp. *glycinea*, 237

Adams, A.N. *see* Posthuma, K.I.

Adler, N.E. *see* Oliva, R.F.

Adler, N.E., Chacón, G., Flier, W.G. & Forbes, G.A. The Andean fruit crop, pear melon (*Solanum muricatum*) is a common host for A1 and A2 strains of *Phytophthora infestans* in Ecuador, 802

Aguilar, M.A.G. *see* Resende, M.L.V.

Ahumada, R. *see* Wingfield, M.J.

Alexander, B.J.R. *see* Clover, G.R.G.

Alioto, D. *see* Martín, S.

Aljanabi, S. *see* Parmessur, Y.

Almeyda, H. *see* Harrison, N.A.

Alves-Santos, F.M., Cordeiro-Rodrigues, L., Sayagués, J.M., Martín-Domínguez, R., García-Benavides, P., Crespo, M.C., Díaz-Mínguez, J.M. & Eslava, A.P. Pathogenicity and race characterization of *Fusarium oxysporum* f. sp. *phaseoli* isolates from Spain and Greece, 605

Andrade, G.C.G. *see* Resende, M.L.V.

d'Aquilio, M., Boarino, A., Bozzano, G., Marzachì, C., Roggero, P. & Boccardo, G. First report of phytoplasmas infecting swan plants (*Gomphocarpus physocarpus*) in Liguria, Italy, 796

Arnold, G.M. *see* Pei, M.H.

Ash, G.J. *see* Lanoiselet, V.M.

Åström, B. *see* Ramstedt, M.

Babitha, M.P., Bhat, S.G., Prakash, H.S. & Shetty, H.S. Differential induction of superoxide dismutase in downy mildew-resistant and -susceptible genotypes of pearl millet, 480

Back, M.A., Haydock, P.P.J. & Jenkinson, P. Disease complexes involving plant parasitic nematodes and soilborne pathogens, 683

Badge, J.L. *see* Brattey, C.

Bagyinka, T. *see* Vajna, L.

Baierl, A. *see* Karolewski, Z.

Balesdent, M.-H. *see* West, J.S.

Barak, J.D., Koike, S.T. & Gilbertson, R.L. Movement of *Xanthomonas campestris* pv. *vitians* in the stems of lettuce and seed contamination, 506

Barker, I. *see* Boonham, N.

Barnes, S.E. & Shaw, M.W. Factors affecting symptom production by latent *Botrytis cinerea* in *Primula* × *polyantha*, 746

Barreto, R.W. *see* Santos-Seixas, C.D.
see also Vieira, B.S.

Bateman, G.L. *see* Bierman, S.M.
see also Turner, A.S.

Bayon, C. *see* Pei, M.H.

Beales, P.A. *see* McQuilken, M.P

Bertaccini, A. *see* Torres, E.

Bhat, S.G. *see* Babitha, M.P.

Biddulph, J.E. *see* West, J.S.

Bierman, S.M., Fitt, B.D.L., van den Bosch, F., Bateman, G.L., Jenkyn, J.F. & Welham, S.J. Changes in populations of the eyespot fungi *Tapesia yallundae* and *T. acuformis* under different fungicide regimes in successive crops of winter wheat, 1984–2000, 191

Bleyer, G. *see* Rügner, A.

Blockley, A. *see* Harju, V.A.

Blockley, A.L. *see* Mumford, R.A.

Boa, E. *see* Braithwaite, M.

Boarino, A. *see* d'Aquilio, M.

Boccardo, G. *see* d'Aquilio, M.

Bodin Ferri, M., Costes, E., Quiot, J.-B. & Dosba, F. Systemic spread of *Plum pox virus* (PPV) in Mariana plum GF 8-1 in relation to shoot growth, 142

Boonham, N. *see* Harju, V.A.

Boonham, N., Walsh, K., Hims, M., Preston, S., North, J. & Barker, I. Biological and sequence comparisons of *Potato virus* Y isolates associated with potato tuber necrotic ringspot disease, 117

Borie, B., Jacquiot, L., Jamaux-Despréaux, I., Larignon, P. & Péros, J.-P. Genetic diversity in populations of the fungi *Phaeomoniella chlamydospora* and *Phaeoacremonium aleophilum* on grapevine in France, 85

van den Bosch, F. *see* Bierman, S.M.

Botti, S. *see* Torres, E.

Bousset, L., Hovmøller, M.S., Caffier, V., de Vallavieille-Pope, C. & Østergård, H. Observed and predicted changes over eight years in frequency of barley powdery mildew avirulent to spring barley in France and Denmark, 33

Bozzano, G. *see* d'Aquilio, M.

Bradshaw, R.E. *see* Dyer, P.S.

Braithwaite, M., Leite, R.P., Smith, J.J., Boa, E. & Saddler, G.S. First report of citrus canker caused by *Xanthomonas campestris* pv. *citri* on *Citrus sinensis* in Bolivia, 383

Brattey, C., Badge, J.L., Burns, R., Foster, G.D., George, E., Goodfellow, H.A., Mulholland, V., McDonald, J.G. & Jeffries, C.J. Potato latent virus: a proposed new species in the genus *Carlavirus*, 495

Brown, A.E. *see* Carlisle, D.J.

Brown, J.K.M. *see* Hovmøller, M.S.

Burdon, J.J. *see* Thrall, P.H.

Burns, R. *see* Brattey, C.

Butters, J.A. *see* Fraaije, B.A.

Cachinero, J.M., Hervás, A., Jiménez-Díaz, R.M. & Tena, M. Plant defence reactions against fusarium wilt in chickpea induced by incompatible race 0 of *Fusarium oxysporum* f.sp. *ciceris* and nonhost isolates of *F. oxysporum*, 765

Caffier, V. *see* Bousset, L.

Cahill, D., Rookes, J., Michalczyk, A., McDonald, K. & Drake, A. Microtubule dynamics in compatible and incompatible interactions of soybean hypocotyl cells with *Phytophthora sojae*, 629

© 2002 BSPP

Cai, H., Chen, H.R., Li, F. & Kong, B.H. First report of a phytoplasma associated with cactus witches'-broom in Yunnan (China), 394
Calderon, C., Ward, E., Freeman, J., Foster, S.J. & McCartney, H.A. Detection of airborne inoculum of *Leptosphaeria maculans* and *Pyrenopeziza brassicae* in oilseed rape crops by polymerase chain reaction (PCR) assays, 303
Calonnec, A., Johnson, R. & de Vallavieille-Pope, C. Genetic analyses of resistance of the wheat differential cultivars Carstens V and Spaldings Prolific to two races of *Puccinia striiformis*, 777
Carlisle, D.J. *see* Cooke, L.R.
Carlisle, D.J., Cooke, L.R., Watson, S. & Brown, A.E. Foliar aggressiveness of Northern Ireland isolates of *Phytophthora infestans* on detached leaflets of three potato cultivars, 424
Carpio, M.L. *see* Harrison, N.A.
Carraro, L., Ferrini, F., Ermacora, P. & Loi, N. Role of wild *Prunus* species in the epidemiology of European stone fruit yellows, 513
Carvalho, G.A. *see* Resende, M.L.V.
Castellanos, G. *see* Mahuku, G.S.
Castro, R.M. *see* Resende, M.L.V.
Cavalcanti, L.S. *see* Resende, M.L.V.
Cembali, T. *see* Mari, M.
Chacón, G. *see* Adler, N.E.
Chang, Y.-C. *see* Li, S.-C.
Chartier-Hollis, J.M. *see* van de Graaf, P.
Chen, H.R. *see* Cai, H.
Chivasa, S., Ekpo, E.J.A. & Hicks, R.G.T. New hosts of *Turnip mosaic virus* in Zimbabwe, 386
Cibrián, D. *see* Roux, J.
Clarkson, J.M. *see* Down, G.J.
Clarkson, J.P., Payne, T., Mead, A. & Whipps, J.M. Selection of fungal biological control agents of *Sclerotium cepivorum* for control of white rot by sclerotial degradation in a UK soil, 735
Clover, G.R.G. *see* Harju, V.A.
Clover, G.R.G., Elliott, D.R., Tang, Z. & Alexander, B.J.R. Occurrence of *Beet pseudo-yellows virus* in cucumber in New Zealand, 389
Coelho, J.M. *see* Fraaije, B.A.
Cohen, R. *see* Pivonia, S.
Cohen, Y. *see* Silué, D.
Collinge, D.B. *see* Haugaard, H.
Colquhoun, I.J. *see* Hüberli, D.
Cook, R.T.A. *see* McQuilken, M.P.
Cooke, L.R. *see* Carlisle, D.J.
Cooke, L.R., Carlisle, D.J., Wilson, D.G. & Deahl, K.L. Natural occurrence of *Phytophthora infestans* on woody nightshade (*Solanum dulcamara*) in Ireland, 392
Cordeiro-Rodrigues, L. *see* Alves-Santos, F.M.
Cordova, I. *see* Harrison, N.A.
Costa, N. *see* Sambade, A.
Costes, E. *see* Bodin Ferri, M.
Cother, E.J. *see* Lanoiselet, V.M.
Coutinho, T.A. *see* Wingfield, M.J.
Crespo, M.C. *see* Alves-Santos, F.M.
Cuadrado, I.M. *see* Janssen, D.
Cuasquer, J.B. *see* Mahuku, G.S.
Cullen, D.W. *see* Lees, A.K.
Cullen, D.W., Lees, A.K., Toth, I.K. & Duncan, J.M. Detection of *Colletotrichum coccodes* from soil and potato tubers by conventional and quantitative real-time PCR, 281
Deahl, K.L. *see* Cooke, L.R.
Declerck, S., Risede, J.M., Rufyikiri, G. & Delvaux, B. Effects of arbuscular mycorrhizal fungi on severity of root rot of bananas caused by *Cylindrocladium spathiphylli*, 109
Delfosse, P., Reddy, A.S., Thirumala Devi, K., Legrève, A., Risopoulos, J., Doucet, D., Shoba Devi, P., Maraite, H. & Reddy, D.V.R. Dynamics of *Polymyxa graminis* and *Indian peanut clump virus* (IPCV) infection on various monocotyledonous crops and groundnut during the rainy season, 546
Delvaux, B. *see* Declerck, S.
Demirci, E. see Ekena, C.
Demirci, E., Eken, C. & Zengin, H. First report of *Rhizoctonia solani* and binucleate *Rhizoctonia* from Johnsongrass in Turkey, 391
Díaz-Mínguez, J.M. *see* Alves-Santos, F.M.
Dixon, G.R. *see* Kenyon, D.M.
Donmez, M.F. *see* Şahin, F.
Dookun-Saumtally, A. *see* Parmessur, Y.
Dosba, F. *see* Bodin Ferri, M.
Doucet, D. *see* Delfosse, P.
Down, G.J. & Clarkson, J.M. Development of a PCR-based diagnostic test for *Spongospora subterranea* f.sp. *nasturtii*, the causal agent of crook root of watercress (*Rorippa nasturtium-aquaticum*), 275
Drake, A. *see* Cahill, D.
Duncan, J.M. *see* Cullen, D.W.
Dyer, P.S. & Bradshaw, R.E. First report of apothecia of *Tapesia yallundae* occurring on the wild grass *Holcus lanatus* (Yorkshire Fog) in New Zealand, 806

Edwards, S.G. *see* Turner, A.S.
Eken, C. *see* Demirci, E.
Eken, C., Demirci, E. & Verkley, G.J.M. First report of *Volutella colletotrichoides* in Turkey, 812
Ekpo, E.J.A. *see* Chivasa, S.
ElGaaied, A. *see* Ounouna, H.
Elliott, D.R. *see* Clover, G.R.G.
Elliott, E. *see* Pilkington, L.J.
Ermacora, P. *see* Carraro, L.
Erselius, L.J. *see* Oliva, R.F.
Escande, A.R., Laich, F.S. & Pedraza, M.V. Field testing of honeybee-dispersed *Trichoderma* spp. to manage sunflower head rot (*Sclerotinia sclerotiorum*), 346
Eslava, A.P. *see* Alves-Santos, F.M.
Espinha, L.M. *see* Gioria, R.
Evans, N. *see* Karolewski, Z.

Fan, Q. *see* Tian, S.P.
Farzadfar, S. *see* Golnaraghi, A.R.
see also Makkouk, K.M.
Farzadfar, S., Pourrahim, R., Golnaraghi, A.R., Shahraeen, N. & Makkouk, K.M. First report of sugar beet and bean as natural hosts of *Chickpea chlorotic dwarf virus* in Iran, 795
Fatmi, M. & Schaad, N.W. Survival of *Clavibacter michiganensis* ssp. *michiganensis* in infected tomato stems under natural field conditions in California, Ohio and Morocco, 149
Fazlali, Y. *see* Makkouk, K.M.
Fels, J. *see* Wulff, E.G.
Ferrini, F. *see* Carraro, L.
Fitt, B.D.L. *see* Bierman, S.M.
see also Karolewski, Z.; West, J.S.

Fletcher, M.J. *see* Pilkington, L.J.
Flier, W.G. *see* Adler, N.E.
Forbes, G.A. *see* Adler, N.E.
see also Oliva, R.F.
Foster, G.D. *see* Brattey, C.
Foster, S.J. *see* Calderon, C.
Fox, C.A. *see* McQuilken, M.P.
Fraaije, B.A., Butters, J.A., Coelho, J.M., Jones, D.R. & Hollomon, D.W. Following the dynamics of strobilurin resistance in *Blumeria graminis* f.sp. *tritici* using quantitative allele-specific real-time PCR measurements with the fluorescent dye SYBR Green I, 45
Freeman, J. *see* Calderon, C.
Fujikawa, E. *see* Abe, K.
Fulkerson, W.J. *see* Zahid, M.I.

van der Gaag, D.J., Paternotte, P. & Hamelink, R. Thick root of cucumber: other susceptible plants and the effect of pH, 666
García-Benavides, P. *see* Alves-Santos, F.M.
Garnsey, S.M. *see* Sambade, A.
Gaspar, J.O. *see* Gioria, R.
George, E. *see* Brattey, C.
Ghasemi, A. *see* Golnaraghi, A.R.
Gibb, K.S. *see* Pilkington, L.J.
Gilbertson, R.L. *see* Barak, J.D
Gioria, R., Espinha, L.M., Rezende, J.A.M., Gaspar, J.O. & Kitajima, E.W. Limited movement of *Cucumber mosaic virus* (CMV) in yellow passion flower in Brazil, 127
Gisi, U. *see* Knapova, G.
see also Rügner, A.
Godfrey, S.A.C. & Marshall, J.W. Identification of cold-tolerant *Pseudomonas viridiflava* and *P. marginalis* causing severe carrot postharvest bacterial soft rot during refrigerated export from New Zealand, 155
Golnaraghi, A.R. *see* Farzadfar, S.
Golnaraghi, A.R., Shahraeen, N., Pourrahim, R., Farzadfar, S. & Ghasemi, A. First report of the natural occurrence of eight viruses affecting soybeans in Iran, 794
Goodfellow, H.V. *see* Brattey, C.
van de Graaf, P., Joseph, M.E., Chartier-Hollis, J.M. & O'Neill, T.M. Prepenetration stages in infection of clematis by *Phoma clematidina*, 331
Green, K.R. *see* Abang, M.M.
Green, S.K. *see* Hughes, S.L.
Guerri, J. *see* Martín, S.
see also Sambade, A.
Guggenheim, R. *see* Rügner, A.
Gurr, G.M. *see* Pilkington, L.J.
see also Zahid, M.I.
Gutiérrez-García, J. *see* Sánchez-Hernández, M.E.

Hallan, V. *see* Verma, N.
Halmschlager, E. *see* Konrad, H.
Hamelink, R. *see* van der Gaag, D.J.
Hanks, G.R. *see* O'Neill, T.M.
Hardy, G.E.St J. *see* Hüberli, D.
Harju, V.A., Mumford, R.A., Blockley, A., Boonham, N., Clover, G.R.G., Weekes, R. & Henry, C.M. Occurrence in the United Kingdom of *Beet necrotic yellow vein virus* isolates which contain RNA 5, 811
Harper, J.D.I. *see* Lanoiselet, V.M.
Harrison, N.A., Narváez, M., Almeyda, H., Cordova, I., Carpio, M.L. & Oropeza, C. First report of group 16SrIV phytoplasmas infecting coconut palms with leaf yellowing symptoms on the Pacific coast of Mexico, 808
Haugaard, H., Collinge, D.B. & Lyngkjær, M.F. Mechanisms involved in control of *Blumeria graminis* f.sp. *hordei* in barley treated with mycelial extracts from cultured fungi, 612
Haydock, P.P.J. *see* Back, M.A.
He, C.Y., Hsiang, T. & Wolyn, D.J. Induction of systemic disease resistance and pathogen defence responses in *Asparagus officinalis* inoculated with nonpathogenic strains of *Fusarium oxysporum*, 225
Helfer, S. *see* Kenyon, D.M.
Henry, C.M. *see* Harju, V.A.
Hervás, A. *see* Cachinero, J.M.
Hicks, R.G.T. *see* Chivasa, S.
Hims, M. *see* Boonham, N.
Hockenhull, J. *see* Wulff, E.G.
Hodda, M. *see* Zahid, M.I.
Hoffmann, P. *see* Abang, M.M.
Holb, I.J. *see* van Leeuwen, G.C.M.
Hollomon, D.W. *see* Fraaije, B.A.
Hong, Y. *see* Posthuma, K.I.
Hovmøller, M.S. *see* Bousset, L.
see also Justesen, A.F.
Hovmøller, M.S., Justesen, A.F. & Brown, J.K.M. Clonality and long-distance migration of *Puccinia striiformis* f.sp. *tritici* in north-west Europe, 24
Hsiang, T. *see* He, C.Y.
Huang, Y.-J. *see* West, J.S.
Huber, B. *see* Rügner, A.
Hüberli, D., Tommerup, I.C., Colquhoun, I.J. & Hardy, G.E.St J. Evaluation of resistance to *Phytophthora cinnamomi* in seed-grown trees and clonal lines of *Eucalyptus marginata* inoculated in lateral branches and roots, 435
Hughes, G. *see* Yuen, J.E.
d'A. Hughes, J. *see* Neuenschwander, P.
Hughes, S.L., Green, S.K., Lydiate, D.J. & Walsh, J.A. Resistance to *Turnip mosaic virus* in *Brassica rapa* and *B. napus* and the analysis of genetic inheritance in selected lines, 567
Hunter, T. *see* Pei, M.H.
Hurtado, S. *see* Ramstedt, M.

Ioannidis, P.M. *see* Karaoglanidis, G.S.
Iori, R. *see* Mari, M.

Jacobs, A. *see* Wingfield, M.J.
Jacquiot, L., *see* Borie, B.
Jamaux-Despréaux, I. *see* Borie, B.
Janse, J.D. & Wenneker, M. Possibilities of avoidance and control of bacterial plant diseases when using pathogen-tested (certified) or -treated planting material, 523
Janssen, D., Ruiz, L., Velasco, L., Segundo, E. & Cuadrado, I.M. Non-cucurbitaceous weed species shown to be natural hosts of *Cucumber vein yellowing virus* in south-eastern Spain, 797
Jara, C. *see* Mahuku, G.S.
Jarvis, B. *see* Mumford, R.A.
Jeffries, C.J. *see* Brattey, C.
Jeger, M.J. *see* van Leeuwen, G.C.M.
Jenkinson, P. *see* Back, M.A.
Jenkyn, J.F. *see* Bierman, S.M.
Jiang, A.L. *see* Tian, S.P.
Jiménez-Díaz, R.M. *see* Cachinero, J.M.
see also Jiménez-Gasco, M.M.
Jiménez-Gasco, M.M., Milgroom, M.G. & Jiménez-Díaz, R.M. Gene genealogies support *Fusarium oxysporum* f. sp. *ciceris* as a monophyletic group, 72
Johnson, R. *see* Calonnec, A.

Jones, D.R. *see* Fraaije, B.A.
Jones, P. *see* de Silva, D.P.P.
Joseph, M.E. *see* van de Graaf, P.
Justesen, A.F. *see* Hovmøller, M.S.
Justesen, A.F., Ridout, C.J. & Hovmøller, M.S. The recent history of *Puccinia striiformis* f.sp. *tritici* in Denmark as revealed by disease incidence and AFLP markers, 13

Karaoglanidis, G.S., Ioannidis, P.M. & Thanassoulopoulos, C.C. Changes in sensitivity of *Cercospora beticola* populations to sterol-demethylation-inhibiting fungicides during a 4-year period in northern Greece, 55
Karolewski, Z., Evans, N., Fitt, B.D.L., Todd, A.D. & Baierl, A. Sporulation of *Pyrenopeziza brassicae* (light leaf spot) on oilseed rape (*Brassica napus*) leaves inoculated with ascospores or conidia at different temperatures and wetness durations, 654
Kassemeyer, H.-H. *see* Rügner, A.
Katan, J. *see* Pivonia, S.
Kennedy, R. *see* O'Neill, T.M.
Kenyon, D.M., Dixon, G.R. & Helfer, S. Effects of relative humidity, light intensity and photoperiod on the colony development of *Erysiphe* sp. on *Rhododendron*, 103
Kerlan, C. *see* Ounouna, H.
Khan, J.A., Siddiqui, M.K. & Singh, B.P. The natural occurrence of a begomovirus in sunn hemp (*Crotalaria juncea*) in India, 398
Kigel, J. *see* Pivonia, S.
Kim, C.-J. *see* Lee, H.B.
Kirby, M.J. *see* Posthuma, K.I.
Kirisits, T. *see* Konrad, H.
Kirisits, T. & Offenthaler, I. Xylem sap flow of Norway spruce after inoculation with the blue-stain fungus *Ceratocystis polonica*, 359
Kirkegaard, J.A. *see* Smith, B.J.
Kitajima, E.W. *see* Gioria, R.
Knapova, G. & Gisi, U. Phenotypic and genotypic structure of *Phytophthora infestans* populations on potato and tomato in France and Switzerland, 641
Knapova, G., Schlenzig, A. & Gisi, U. Crosses between isolates of *Phytophthora infestans* from potato and tomato and characterization of F_1 and F_2 progeny for phenotypic and molecular markers, 698
Knoll, S., Mulfinger, S., Niessen, L. & Vogel, R.F. Rapid preparation of *Fusarium* DNA from cereals for diagnostic PCR using sonification and an extraction kit, 728
Koike, S.T. *see* Barak, J.D.
Kong, B.H. *see* Cai, H.
Konrad, H., Kirisits, T., Riegler, M., Halmschlager, E. & Stauffer, C. Genetic evidence for natural hybridization between the Dutch elm disease pathogens *Ophiostoma novo-ulmi* ssp. *novo-ulmi* and *O. novo-ulmi* ssp. *americana*, 78
Kotan, R. *see* Şahin, F.
Kotan, R. & Şahin, F. First record of bacterial canker caused by *Pseudomonas syringae* pv. *syringae*, on apricot trees in Turkey, 798
Kumari, S.G. *see* Makkouk, K.M.

Lafaye, P. *see* Ounouna, H.
Laich, F.S. *see* Escande, A.R.
Lanoiselet, V.M., Cother, E.J., Ash, G.J. & Harper, J.D.I. First report of *Sclerotium hydrophilum* on leaf sheath of rice (*Oryza sativa*) in south-eastern Australia, 813
Larignon, P. *see* Borie, B.
Lee, H.B. & Kim, C.-J. First report of zonate leaf spot of *Cocculus trilobus* caused by *Cristulariella moricola* in Korea, 799
Lee, H.B., Yu, S.H. & Kim, C.-J. First report of leaf spot of *Paederia scandens* caused by *Pseudocercospora paederiae* in Korea, 388
Lee, H.K., Tewari, J.P. & Turkington, T.K. Quantification of seedborne infection by *Rhynchosporium secalis* in barley using competitive PCR, 217
Leech, P.K. *see* West, J.S.
Lees, A.K. *see* Cullen, D.W.
Lees, A.K., Cullen, D.W., Sullivan, L. & Nicolson, M.J. Development of conventional and quantitative real-time PCR assays for the detection and identification of *Rhizoctonia solani* AG-3 in potato and soil, 293
van Leeuwen, G.C.M., Holb, I.J. & Jeger, M.J. Factors affecting mummification and sporulation of pome fruit infected by *Monilinia fructigena* in Dutch orchards, 787
Legg, J.P. *see* Neuenschwander, P.
Legrève, A. *see* Delfosse, P.
Leite, R.P. *see* Braithwaite, M.
Leoni, O. *see* Mari, M.
Lewis, B.G. *see* Varze, V.M.P.
see also Varzea, V.M.P.
Li, F. *see* Cai, H.
Li, S.-C. & Chang, Y.-C. First report of *Hibiscus chlorotic ringspot virus* in Taiwan, 803
Loi, N. *see* Carraro, L.
Loukili, M.J. *see* Ounouna, H.
Lübeck, M. *see* Wulff, E.G.
Luque, J., Parladé, J. & Pera, J. Seasonal changes in susceptibility of *Quercus suber* to *Botryosphaeria stevensii* and *Phytophthora cinnamomi*, 338
Lydiate, D.J. *see* Hughes, S.L.
Lyngkjær, M.F. *see* Haugaard, H.

McCartney, H.A. *see* Calderon, C.
McDonald, J.G. *see* Brattey, C.
McDonald, K. *see* Cahill, D.
McQuilken, M.P., Fox, C.A., Beales, P.A. & Cook, R.T.A. First report of powdery mildew on potted plants of *Calluna vulgaris* in Scotland, 402
Mahuku, G.S., Jara, C., Cuasquer, J.B. & Castellanos, G. Genetic variability within *Phaeoisariopsis griseola* from Central America and its implications for resistance breeding of common bean, 594
Makkouk, K.M. see Farzadfar, S.
Makkouk, K.M., Fazlali, Y., Kumari, S.G. & Farzadfar, S. First record of *Beet western yellows virus*, *Chickpea chlorotic dwarf virus*, *Faba bean necrotic yellows virus* and *Soybean dwarf virus* infecting chickpea and lentil crops in Iran, 387
Mansfeld-Giese, K. *see* Wulff, E.G.
Maraite, H. *see* Delfosse, P.
Marchesi, U. *see* Scortichini, M.
Mari, M., Leoni, O., Iori, R. & Cembali, T. Antifungal vapour-phase activity of allyl-isothiocyanate against *Penicillium expansum* on pears, 231
Marshall, J. *see* Turner, A.S.
Marshall, J.W. *see* Godfrey, S.A.C.
Martin, M.P. *see* Torres, E.
Martín, S., Alioto, D., Milne, R.G., Guerri, J. & Moreno, P. Detection of *Citrus psorosis virus* in field trees by direct tissue blot immunoassay in comparison with ELISA, symptomatology, biological indexing and cross-protection tests, 134

Martín-Domínguez, R. *see* Alves-Santos, F.M.
Marzachì, C. *see* d'Aquilio, M.
Matsuoka, K. *see* Santos-Seixas, C.D.
Mead, A. *see* Clarkson, J.P.
Mguni, C.M. *see* Wulff, E.G.
Michalczyk, A. *see* Cahill, D.
Mignouna. H.D. *see* Abang, M.M.
Milgroom, M.G. *see* Jiménez-Gasco, M.M.
Milne, R.G. *see* Martín, S.
Moreno, P. *see* Martín, S.
see also Sambade, A.
Morgan, L.W. *see* Turner, A.S.
Moricca, S. *Phomopsis alnea*, the cause of dieback of black alder in Italy, 755
Mortensen, C.N. *see* Mudingotto, P.J.
Mudingotto, P.J., Veena, M.S. & Mortensen, C.N. First report of bacterial blight caused by *Acidovorax avenae* ssp. *avenae* associated with finger millet seeds from Uganda, 396
Mulfinger, S. see Knoll, S.
Mulholland, V. *see* Brattey, C.
Müller, G.W. *see* Sambade, A.
Mumford, R.A. *see* Harju, V.A.
Mumford, R.A., Blockley, A.L., Jarvis, B. & Wright, D.M. Isolation of *Arabis mosaic virus* from Mexican orange blossum (*Choisya ternata*) in the UK, 395
Mundt, C.C., Nieva, L.P. & Vera Cruz, C.M. Variation for aggressiveness within and between lineages of *Xanthomonas oryzae* pv. *oryzae*, 163

Narcy, J.P. *see* West, J.S.
Narváez, M. *see* Harrison, N.A.
Neuenschwander, P., d'A. Hughes, J., Ogbe, F., Ngatse, J.M. & Legg, J.P. Occurrence of the Uganda variant of *East African cassava mosaic virus* (EACMV-Ug) in western Democratic Republic of Congo and the Congo Republic defines the westernmost extent of the CMD pandemic in East/Central Africa, 385
Ngatse, J.M. *see* Neuenschwander, P.
Nicholson, P. *see* Turner, A.S.
Nicol, H.I. *see* Zahid, M.I.
Nicolson, M.J. *see* Lees, A.K.
Niessen, L. see Knoll, S.
Nieva, L.P. *see* Mundt, C.C.
Nikandrow, A. *see* Pilkington, L.J.
see also Zahid, M.I.
Nojosa, G.B.A. *see* Resende, M.L.V.
North, J. *see* Boonham, N.
Nuttall, M. *see* Turner, A.S.

O'Neill, T.M. *see* van de Graaf, P.
O'Neill, T.M. First report of *Verticillium albo-atrum* causing wilt in *Ve*-resistant tomato in the United Kingdom, 810
O'Neill, T.M., Hanks, G.R. & Kennedy, R. First report of white mould (*Ramularia vallisumbrosae*) on daffodils (*Narcissus*) in eastern England, 400
Offenthaler, I. *see* Kirisits, T.
Ogbe, F. *see* Neuenschwander, P.
Oliva, R.F., Erselius, L.J., Adler, N.E. & Forbes, G.A. Potential of sexual reproduction among host-adapted populations of *Phytophthora infestans sensu lato* in Ecuador, 710
Oropeza, C. *see* Harrison, N.A.
Østergård, H. *see* Bousset, L.
Ounouna, H., Kerlan, C., Lafaye, P., Loukili, M.J. & ElGaaied, A. Production of monoclonal antibodies against synthetic peptides of the N-terminal region of *Potato vivus Y* coat protein and their use in PVY strain differentiation, 487

Pajot, E. *see* Silué, D.
Paltrinieri, S. *see* Torres, E.
Parladé, J. *see* Luque, J.
Parmessur, Y., Aljanabi, S., Saumtally, S. & Dookun-Saumtally, A. *Sugarcane yellow leaf virus* and sugarcane yellows phytoplasma: elimination by tissue culture, 561
Parrella, G. First report of *Parietaria mottle virus* in *Mirabilis jalapa*, 401
Parry, D.W. *see* Turner, A.S.
Paternotte, P. *see* van der Gaag, D.J.
Payne, T. *see* Clarkson, J.P.
Pedraza, M.V. *see* Escande, A.R.
Pei, M.H., Ruiz, C., Hunter, T., Arnold, G.M. & Bayon, C. Quantitative relationships between inoculum of *Melampsora larici-epitea* and corresponding disease on *Salix*, 443
Pera, J. *see* Luque, J.
Perez, J.O. *see* Resende, M.L.V.
Pérombelon, M.C.M. Potato diseases caused by soft rot erwinias: an overview of pathogenesis, 1
Péros, J.-P. *see* Borie, B.
Pettitt, T.R., Wakeham, A.J., Wainwright, M.F. & White, J.G. Comparison of serological, culture, and bait methods for detection of *Pythium* and *Phytophthora* zoospores in water, 720
Peyrou, M. *see* Sambade, A.
Pilkington, L.J., Gibb, K.S., Gurr, G.M., Fletcher, M.J., Nikandrow, A., Elliott, E., Van de Ven, R. & Read, D.M.Y. First report of a phytoplasma associated with Australian lucerne yellows disease, 390
Pivonia, S., Cohen, R., Kigel, J. & Katan, J. Effect of soil temperature on disease development in melon plants infected by *Monosporascus cannonballus*, 472
Ploetz, R. *see* Zheng, Q.
Plumb, R.T. Viruses of *Poaceae*: a case history in plant pathology, 674
Posthuma, K.I., Adams, A.N., Hong, Y. & Kirby, M.J. Detection of *Strawberry crinkle virus* in plants and aphids by RT-PCR using conserved L gene sequences, 266
Pourrahim, R. *see* Farzadfar, S.
see also Golnaraghi, A.R.
Prakash, H.S. *see* Babitha, M.P.
Preston, S. *see* Boonham, N.

Quiot, J.-B. *see* Bodin Ferri, M.

Ram, R. *see* Verma, N.
Ramstedt, M., Hurtado, S. & Åström, B. Pathotypes of *Melampsora* rust on *Salix* in short-rotation forestry plantations, 185
Read, D.M.Y. *see* Pilkington, L.J.
Reddy, A.S. *see* Delfosse, P.
Reddy, D.V.R. *see* Delfosse, P.
Resende, M.L.V., Nojosa, G.B.A., Cavalcanti, L.S., Aguilar, M.A.G. Silva, L.H.C.P., Perez, J.O., Andrade, G.C.G., Carvalho, G.A. & Castro, R.M. Induction of resistance in cocoa against *Crinipellis perniciosa* and *Verticillium dahliae* by acibenzolar-S-methyl (ASM), 621,
Rezende, J.A.M. *see* Gioria, R.
Ridout, C.J. *see* Justesen, A.F.
Riegler, M. *see* Konrad, H.

Risede, J.M. *see* Declerck, S.
Risopoulos, J. *see* Delfosse, P.
Rodrigues, C.J. Jr *see* Varze, V.M.P.
see also Varzea, V.M.P.
Roggero, P. *see* d'Aquilio, M.
Rookes, J. *see* Cahill, D.
Rossi, M.P. *see* Scortichini, M.
Rousseau, R.J. *see* Stanosz, G.R.
Roux, J. *see* West, J.S.
Roux, J., Wingfield, M.J. & Cibrián, D. First report of coniothyrium canker of *Eucalyptus* in Mexico, 382
Rouxel, T. *see* West, J.S.
Rubio, L. *see* Sambade, A.
Rufyikiri, G. *see* Declerck, S.
Rügner, A., Rumbolz, J., Huber, B., Bleyer, G., Gisi, U., Kassemeyer, H.-H. & Guggenheim, R. Formation of overwintering structures of *Uncinula necator* and colonization of grapevine under field conditions, 322
Ruiz, C. *see* Pei, M.H.
Ruiz, L. *see* Janssen, D.
Rumbolz, J. *see* Rügner, A.

Saddler, G.S. *see* Braithwaite, M.
Şahin, F. *see* Kotan, R.
Şahin, F., Uslu, H., Kotan, R. & Donmez, M.F. Bacterial canker, caused by *Clavibacter michiganensis* ssp. *michiganensis*, on tomatoes in eastern Anatolia region of Turkey, 399
Sambade, A., Rubio, L., Garnsey, S.M., Costa, N., Müller, G.W., Peyrou, M., Guerri, J. & Moreno, P. Comparison of viral RNA populations of pathogenically distinct isolates of *Citrus tristeza virus*: application to monitoring cross-protection, 257
Sánchez-Hernández, M.E., Gutiérrez-García, J. & Trapero-Casas, A. Botryosphaeria canker of *Cistus ladanifer*, 365
Santos-Seixas, C.D., Barreto, R.W. & Matsuoka, K. First report of a phytoplasma-associated witches' broom disease of *Miconia calvescens* in Brazil, 801
Saumtally, S. *see* Parmessur, Y.
Sayagués, J.M. *see* Alves-Santos, F.M.
Schaad, N.W. *see* Fatmi, M.
Schlenzig, A. *see* Knapova, G.
Schmit, J. *see* West, J.S.
Scortichini, M., Rossi, M.P. & Marchesi, U. Genetic, phenotypic and pathogenic diversity of *Xanthomonas arboricola* pv. *corylina* strains question the representative nature of the type strain, 374
Segundo, E. *see* Janssen, D.
Shahraeen, N. *see* Farzadfar, S.
see also Golnaraghi, A.R.
Shaw, M.W. *see* Barnes, S.E.
see also de Silva, D.P.P.
Shetty, H.S. *see* Babitha, M.P.
Shoba, D.P. *see* Delfosse, P.
Siddiqui, M.K. *see* Khan, J.A.
Silué, D., Pajot, E. & Cohen, Y. Induction of resistance to downy mildew (*Peronospora parasitica*) in cauliflower by DL-β-amino-*n*-butanoic acid (BABA), 97
de Silva, D.P.P., Jones, P. & Shaw, M.W. Identification and transmission of *Piper yellow mottle virus* and *Cucumber mosaic virus* infecting black pepper (*Piper nigrum*) in Sri Lanka, 537
Silva, L.H.C.P. *see* Resende, M.L.V.
Singh, B.P. *see* Khan, J.A.
Smith, B.J. & Kirkegaard, J.A. *In vitro* inhibition of soil microorganisms by 2-phenylethyl isothiocyanate, 585
Smith, J.J. *see* Braithwaite, M.
Stanosz, G.R., Stanosz, J.C. & Rousseau, R.J. Hybrid poplar stem cankers caused by *Mycosphaerella populorum* in Kentucky, USA, 384
Stanosz, J.C. *see* Stanosz, G.R.
Stauffer, C. *see* Konrad, H.
Steed, J.M. *see* West, J.S.
Sullivan, L. *see* Lees, A.K.
Szabó, I. First report of *Melampsoridium hiratsukanum* on common alder in Hungary, 804

Takada, Y. *see* Abe, K.
Takeuchi, Y. *see* Abe, K.
Tang, Z. *see* Clover, G.R.G.
Tena, M. *see* Cachinero, J.M.
Tewari, J.P. *see* Lee, H.K.
Thanassoulopoulos, C.C. *see* Karaoglanidis, G.S.
Thirumala Devi, K. *see* Delfosse, P.
Thrall, P.H. & Burdon, J.J. Evolution of gene-for-gene systems in metapopulations: the effect of spatial scale of host and pathogen dispersal, 169
Tian, S.P., Fan, Q., Xu, Y. & Jiang, A.L. Effects of calcium on biocontrol activity of yeast antagonists against the postharvest fungal pathogen *Rhizopus stolonifer*, 352
Todd, A.D. *see* Karolewski, Z.
see also Turner, A.S.
Tommerup, I.C. *see* Hüberli, D.
Torres, E., Botti, S., Paltrinieri, S., Martin, M.P. & Bertaccini, A. First report of Spartium witches' broom disease in Spain, 807
Toth, I.K. *see* Cullen, D.W.
Trapero-Casas, A. *see* Sánchez-Hernández, M.E.
Turkington, T.K. *see* Lee, H.K.
Turner, A.S., Nicholson, P., Edwards, S.G., Bateman, G.L., Morgan, L.W., Todd, A.D., Parry, D.W., Marshall, J. & Nuttall, M. Relationship between brown foot rot and DNA of *Microdochium nivale*, determined by quantitative PCR, in stem bases of winter wheat, 464

Uslu, H. *see* Şahin, F.

Vajna, L. *Diaporthe oncostoma* causing stem canker of black locust in Hungary, 393
Vajna, L. Downy mildew epidemic on common ragweed in Hungary caused by *Plasmopara halstedii*, 809
Vajna, L. & Bagyinka, T. Occurrence of privet anthracnose in Hungary caused by *Glomerella cingulata*, 403
de Vallavieille-Pope, C. *see* Bousset, L.
see also Calonnec, A.
Van de Ven, R. *see* Pilkington, L.J.
Varzea, V.M.P., Rodrigues C.J. Jr & Lewis, B.G. Distinguishing characteristics and vegetative compatibility of *Colletotrichum kahawae* in comparison with other related species from coffee, 202
Varze, V.M.P., Rodrigues, C.J. Jr & Lewis, B.G. Distinguishing characteristics and vegetative compatibility of *Colletotrichum kahawe* in comparison with other related species from coffee, 671
Veena, M.S. *see* Mudingotto, P.J.
Velasco, L. *see* Janssen, D.
Vera Cruz, C.M. *see* Mundt, C.C.
Verkley, G.J.M. *see* Ekena, C.
Verma, N., Hallan, V., Ram, R. & Zaidi, A.A. Detection of *Prunus necrotic ringspot virus* in begonia by RT–PCR, 800

Vieira, B.S. & Barreto, R.W. First record of leaf-spot caused by *Acroconidiella tropaeoli* on *Tropaeolum majus* in Brazil, 805
Vogel, R.F. *see* Knoll, S.

Wainwright, M.F. *see* Pettitt, T.R.
Wakeham, A.J. *see* Pettitt, T.R.
Walsh, J.A. *see* Hughes, S.L.
Walsh, K. *see* Boonham, N.
Ward, E. *see* Calderon, C.
Watson, S. *see* Carlisle, D.J.
Weekes, R. *see* Harju, V.A.
Welham, S.J. *see* Bierman, S.M.
Wenneker, M. *see* Janse, J.D.
West, J.S., Balesdent, M.-H., Rouxel, T., Narcy, J.P., Huang, Y.-J., Roux, J., Steed, J.M., Fitt, B.D.L. & Schmit, J. Colonization of winter oilseed rape tissues by A/Tox$^+$ and B/Tox^0 *Leptosphaeria maculans* (phoma stem canker) in France and England, 311
West, J.S., Fitt, B.D.L., Leech, P.K., Biddulph, J.E., Huang, Y.-J. & Balesdent, M.-H. Effects of timing of *Leptosphaeria maculans* ascospore release and fungicide regime on phoma leaf spot and phoma stem canker development on winter oilseed rape (*Brassica napus*) in southern England, 454
Whipps, J.M. *see* Clarkson, J.P.
White, J.G. *see* Pettitt, T.R.
Wilson, D.G. *see* Cooke, L.R.
Wingfield, B.D. *see* Wingfield, M.J.
Wingfield, M.J. *see* Roux, J.
Wingfield, M.J., Jacobs, A., Coutinho, T.A., Ahumada, R. & Wingfield, B.D. First report of the pitch canker fungus, *Fusarium circinatum*, on pines in Chile, 397
Winter, S. *see* Abang, M.M.
Wolf, G.A. *see* Abang, M.M.
Wolyn, D.J. *see* He, C.Y.
Wright, D.M. *see* Mumford, R.A.
Wulff, E.G., Mguni, C.M., Mansfeld-Giese, K., Fels, J., Lübeck, M. & Hockenhull, J. Biochemical and molecular characterization of *Bacillus amyloliquefaciens, B. subtilis* and *B. pumilus* isolates with distinct antagonistic potential against *Xanthomonas campestris* pv. *campestris*, 574

Xu, Y. *see* Tian, S.P.

Yamaoka, N. *see* Abe, K.
Yu, S.H. *see* Lee, H.B.
Yuen, J.E. & Hughes, G. Bayesian analysis of plant disease prediction, 407

Zadoks, J.C. *see* Zwankhuizen, M.J.
Zahid, M.I., Gurr, G.M., Nikandrow, A., Hodda, M., Fulkerson, W.J. & Nicol, H.I. Effects of root- and stolon-infecting fungi on root-colonizing nematodes of white clover, 242
Zaidi, A.A. *see* Verma, N.
Zengin, H. *see* Demirci, E.
Zheng, Q. & Ploetz, R. Genetic diversity in the mango malformation pathogen and development of a PCR assay, 208
Zwankhuizen, M.J. & Zadoks, J.C. *Phytophthora infestans*'s 10-year truce with Holland: a long-term analysis of potato late-blight epidemics in the Netherlands, 413

Plant Pathology (2002) **51**, 823–826

Keyword index

16S rRNA, 155

AABA, 97
AFLP, 641, 698
AFLP markers, 24
AG-3, 293
agronomic factors, 413
allele-specific real-time PCR, 45
allelopathy, 585
Allium white rot, 735
allyl-isothiocyanate, 231
Alnus glutinosa, 755
anaerobiosis, 1
anthracnose, 63
antifungal effect, 612
antipeptide antibodies, 487
Ascomycota, 78
ascospore numbers, 454
asparagus, 225
avirulence, 33

β-1,3-glucanase, 765
B. ribis, 365
BABA, 97
Bacillus spp., 574
bacteria, 746
bacterial blight, 374
bacterial blight of rice, 163
bacterial leaf spot of lettuce, 506
bacterial soft rot, 155
badnavirus, 537
balanced incomplete block design, 424
banana, 109
bean angular leaf spot, 594
bee vectoring, 346
bimodal, 495
biocontrol, 346
biofumigation, 585
biological control, 574, 612, 735, 765
biological indexing, 257
biopesticide, 612
blackleg, 311
Blumeria graminis, 612
Blumeria graminis (syn. *Erysiphe graminis*) f. sp. *hordei*, 33
Botryosphaeria dothidea, 365
brassica, 567
brassica black rot, 574
Brassica, 585
brown foot rot, 464
brown rot fungi, 787
bud infection, 322

Cacopsylla pruni, 513
calcium, 352
callus culture, 561
Candida guilliermondii, 352
canker, 338, 365, 755
carbendazim resistance, 191
carrots, 155
Ceratocystis polonica, 359
cercospora leaf-spot, 55
cereal, 728
cereals, 546
characterization, 495
chickpea, 72
chitinase, 765
Cicer arietinum, 72, 765
Cistus ladanifer, 365
Citrus tristeza virus, 257
citrus varieties, 134
Clavibacter michiganensis ssp. *michiganensis*, 149
Clavibacter michiganensis ssp. *sepedonicus*, 523
cleistothecia, 322
CMV, 537
coevolution, 169
coffee berry disease, 202
collar rot, 435
Colletotrichum coccodes, 281
Colletotrichum gloeosporioides, 63
Colletotrichum spp., 202
competition modelling, 191
competitive PCR, 217
cork oak, 338
Corylus spp., 374
CPsV, 134
crown canker, 454
Cucumis melo, 472
Cucurbita, 666
cytochrome *b*, 45

defence responses, 225
detached potato leaflets, 424
detection, 293, 495, 720
diagnostics, 275, 281
difenoconazole, 55
differential varieties, 777
Dioscorea spp., 63
Diplodia mutila, 338
disease assessment, 435
disease complex, 242, 683
disease dynamics, 169
disease indexing and sampling, 523
disease management, 787
disease severity, 109
DNA extraction, 728
DNA fingerprinting, 13
dominant/recessive, 567
dot-blot hybridization, 127
downy mildew, 480
DTBIA, 134
Dutch elm disease, 78
ELISA, 142, 487, 537
endomycorrhizas, 109
endophytes, 574

© 2002 BSPP

epidemiology, 546
Erysiphe graminis, 45
Erysiphe sp., 103
esca disease, 85
evolution of virulence, 24
evolutionary origin, 72

F. sterilihyphosum, 208
F. subglutinans, 208
fatty acid methyl esters, 574
flutriafol, 55
foliar aggressiveness, 424
Fragaria, 266
fungi, 683, 755
fungicide resistance, 45, 55
Fusarium, 728
Fusarium crown and root rot, 225
Fusarium mangiferae, 208
Fusarium oxysporum f. sp. *asparagi*, 225
fusarium wilt, 72, 605
Fusicoccum sp., 365

GABA, 97
gametic disequilibrium, 33
genetic diversity, 163
genetic polymorphism, 169
genetic variation, 594
genotypes, 641, 698
genus *Carlavirus*, 495
germination, 331
Glomus spp., 109
Gompertz equation, 654
grapevine powdery mildew, 322
grapevine, 85
grey mould, 746
groundnut, 546
growth, 331

Helianthus annus, 346
Heterodera dihystera, 242
Heterodera trifolii, 242
heterokaryons, 202, 710
hitch-hiking, 33
honeybee, 346
Hordeum vulgare, 217, 612
host adaptation, 710
host-specific pathogenicity, 185
host–parasite interaction, 237
host–pathogen interaction, 480
hrp and *avr* genes, 1
hybridization, 78
hypersensitive reaction, 629

incompatibility, 629
induced local and systemic resistance, 97
induced resistance, 612
infection criteria, 654
infection efficiency, 443
infection, 331
infectivity, 654
inhibitors, 728
ink disease, 338
insect transmission, 537
interactions, 683
internal transcribed spacer regions, 281
internal transcribed spacer, 217
interrupted wetness, 746
Ips typographus, 359
IPVC, 546
isozymes, 480
ISSR, 311
ITS, 311
ITS rDNA, 275
ITS RFLP, 63

jarrah dieback, 435

Lactuca sativa, 506
late blight, 641
late blight disease, 424
latency, 746
latent infection, 1
latent period, 654
Leptosphaeria maculans, 303
light intensity, 103
light leaf spot, 303
lignification, 621
lineage, 163
logistic equation, 654
longitudinal analysis, 413
low-temperature scanning electron microscopy, 322
LTSEM, 331

MAbs, 487
mango malformation, 208
mathematical model, 33
mating type, 641
mating types, 710
Mediterranean forest, 365
Melampsora, 443
Meloidogyne trifoliophila, 242
melon collapse, 472
meteorological factors, 413
Microdochium nivale, 464
microsatellites, 641, 698
microtubules, 629
mitochondria, 45
molecular diversity, 24
molecular variation, 13
Monilinia fructigena, 787
monoculture, 24
Mononegavirales, 266
multidimensional analyses, 777
multilocus genotypes, 710
myrosinase, 585

nested PCR, 561
nit mutants, 202
nit⁻ mutants, 746
Norway spruce, 359

oomycete, 435
oomycetes, 683
oospore germination, 710
Ophiostoma novo-ulmi, 78
Oryza sativa, 163
oxidative enzymes, 621
P. edulis f. *flavicarpa*, 127
P. herpotrichoides, 191

P. megasperma f. sp. *glycinea*, 237
pathogenesis-related (PR) proteins, 97
pathogenicity, 202, 359, 605
pathogenicity genes, 257
pathogenicity tests, 755
pathotype, 567
PCR, 127, 275, 293, 303, 537, 728
PCR-RFLP, 78
pear, 231
pearl millet, 480
pectic enzymes, 1
Penicillium expansum, 231
pepper, 487
perennation, 322
peroxidase, 765
Phaeoacremonium aleophilum, 85
Phaeoisariopsis griseola, 594
Phaeomoniella chlamydospora, 85
Phaseolus vulgaris, 594, 605
phenolics, 621
phenotypes, 641
phoma leaf spot, 303
Phoma lingam, 311, 454
phoma stem lesions, 454
phosphorus, 109
phytoalexin, 237
phytoalexins, 765
Phytophthora infestans, 413, 424
Phytophthora sojae, 629
Phytophthora spp., 720
phytoplasma elimination, 561
phytoplasma, 513
Picea abies, 359
Pichia membranefaciens, 352
plant age, 746
plant architecture, 142
plant breeding, 605
plant-parasitic nematodes, 683
plant surface, 331
Plum pox virus, 142
polyetic epidemics, 413
polymerase chain reaction, 513
Polymyxa graminis, 546
pome fruits, 787
population biology, 185
population genetics, 33, 85
postharvest, 231
postharvest decay, 352
potato, 293, 487, 523
potato black dot, 281
potato latent virus, 495
potato/tomato late blight, 698
potyvirus, 117
Potyvirus, 487, 567
primary inoculum, 787
priming, 97
Prunus, 142
Pseudomonas marginalis, 155
Pseudomonas viridiflava, 155
pseudothecia, 454
psorosis A, 134
psorosis B, 134
psychrotrophic, 155
PTA-ELISA, 127
PTNRD, 117
PVY, 117
PYMV, 537
Pyrenopeziza brassicae, 303
Pythium spp., 720

quantification, 720
quantitative (TaqMan) PCR, 281
quantitative inoculation, 443
quantitative PCR, 464
quarantine diseases, 523
quorum sensing, 1

race-nonspecific resistance, 424
rainfall, 546
Ralstonia solanacearum, 523
RAPD, 85, 208
rapeseed, 311
rDNA sequences, 63
recombination, 78, 117
Red La Soda, 495
relative humidity, 103
relative water content, 338
repetitive PCR, 374
resistance, 169
resistance genes, 777
RFLP, 163
Rhabdoviridae, 266
Rhizoctonia solani, 293
Rhizopus stolonifer, 352
Rhododendron, 103
Rhynchosporium secalis, 217
RNA-dependent RNA polymerase, 266
root and stolon parasites, 242
root rot, 109
RT–PCR, 561
rust fungi, 185

Sclerospora graminicola, 480
Sclerotium cepivorum, 735
screening, 728
secondary metabolites, 574
seed contamination, 506
seed health testing, 217
segregation, 698
sexual crosses, 698
sexual progeny, 710
Sharka disease, 142
siderophores, 1
single-spore inoculation, 443
soil, 281
sonification, 728
soybean, 237, 629
Spongospora, 275
spore dispersal, 24
spore dissemination, 346
spore production, 443
spore trapping, 303
SSCP analysis, 257
Strawberry crinkle virus, 266
strawberry, 266
stripe rust, 13
strobilurin fungicides, 45
sugar beet, 55
superoxide dismutase, 480
survival, 149

sweet pepper, 666
symptomatology, 142
symptoms, 257
systemic acquired resistance, 225
systemic growth, 311
systemically acquired resistance, 621

Tapesia species, 191
TBZ resistance, 231
tebuconazole, 735
temperature, 338, 546
Theobroma cacao, 621
therapy, 561
thick root syndrome, 666
tomato debris, 149
tomato, 666
transmission, 513
Trichoderma spp., 735
Trifolium repens, 242
TuMV resistance, 567
type strain, 374

unnecessary virulence genes, 33

variability, 185
varietal susceptibility, 413
vascular movement, 506
vascular wilt, 621
VCGs, 202
vector, 513
vegetative compatibility, 208
vine decline, 472
virulence diversity, 594
virulence, 13, 169, 185, 777
virus elimination, 561
visual disease assessment, 217
Vitis vinifera, 322

water stress, 755
waterborne inoculum, 720
watercress, 275
Western blot, 127
wheat yellow rust, 13, 24
wheat yellow stripe rust, 777
wheat, 464
whole-cell protein analysis, 374
willow, 185
willow, 443
wilt, 331
winter oilseed rape, 654
witches' broom, 621

Xanthomonas arboricola pv. *corylina*, 374
Xanthomonas campestris pv. *vitians*, 506
xylem sap flow, 359

yam, 63
Yr17 resistance, 13

zoospore trapping immunoassay, 720